

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	598	719/327	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/05/07 15:44
L2	3307	719/328	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/05/07 15:44
S1	1	"10558152"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/11 15:04
S2	2732	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function or application or execut\$3)))	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:32
S3	14875	709/217	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33
S4	1025	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function)))	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33
S5	2	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33
S6	3	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near5 (function or execut\$3)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:34
S7	2	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4 or specify\$3) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:58
S8	76	@ad<"20030528" ( ((obtain\$3 or identif \$4 or specify\$3) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:59
S9	14	@ad<"20030528" ( ((obtain\$3 or identif \$4 or specify\$3) near3 (function)) near3 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:59
S10	92	@ad<"20030528" (function with conver\$4 with application with result)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:32

SI1	21	@ad<"20030528" (function with (conver\$4 near3 result) with application)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:32
SI2	3	@ad<"20030528" (function with (conver\$4 near3 result) adj4 application)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:44
SI3	259	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) with (conver\$4 near5 function)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:38
SI4	8	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) with (conver\$4 near5 function) with application	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:38
SI5	5562	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) near3 (conver\$4)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:45
SI6	135	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) near3 (conver\$4) ("709"/\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:45
SI7	10	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) near3 (conver\$4) ("709"/\$3) connector	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:49
SI8	855	@ad<"20030528" (connector near stor\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 15:00
SI9	55	@ad<"20030528" (connector near stor\$3 with terminal)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 15:01
S20	5	@ad<"20030528" (connector with application with (expir\$5 or (expiration near date)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:13
S21	404	@ad<"20030528" (connector) application with (expir\$5 or (expiration near date))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:15
S22	5	@ad<"20030528" (connector) application with (expir\$5 or (expiration near date)) (determin\$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:17
S23	5	@ad<"20030528" (connector) application with (expir\$5 or (expiration near date) or (valid near3 period)) (determin\$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:19
S24	8	@ad<"20030528" (connector) same application with (expir\$5 or (expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:19

S25	407	@ad<"20030528" (connector) application with (expir\$5 or (expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:20
S26	51	@ad<"20030528" (connector) application with ( (expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:20
S27	81	@ad<"20030528" application with (expir\$5 or (expiration near date) or (valid near3 period)) (determin\$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:26
S28	1	"10543589"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 17:42
S29	20	((second or another) adj connector) with (valid\$4 or authentic\$6)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:15
S30	7	((second or another) adj connector) with (valid\$4 or authentic\$6) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:16
S31	0	((second or another) adj connector) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:25
S32	7	((second or another) adj connector) ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:25
S33	1	((second or another) adj (connector or unit)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:26
S34	1	((second or another) adj (connector or unit or decision)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:26
S35	5	((second or another) adj (connector or unit or decision or specif\$3 or specif\$3)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:27
S36	10	((second or another) adj3 (connector or unit or decision or specif\$3 or specif\$3)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:27
S37	442	((second or another) adj3 (connector or unit or decision or specif\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:28
S38	620	((second or another) adj3 (connector or unit or determin\$3 or decision or specif\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:30

S39	11	((second or another) adj3 (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:30
S40	119	((second or another) adj (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:31
S41	0	((second or another) adj (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5)) near2 (function or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:31
S42	8	((second or another) adj3 (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5)) near2 (function or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:32
S43	1	2004/0015596 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:54
S44	2	"20040015596" @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:54
S45	0	"20040015596" (select\$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:12
S46	0	"20040015596" (choos\$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:12
S47	0	(television and phone) (choos\$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S48	85	(television and phone) (application with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S49	15	(television and phone) (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S50	0	(television and phone) same (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:36
S51	6	(television and (mobile phone)) (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:36

S52	6293	709/218 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/24 13:08
S53	255	439/4	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/24 13:11
S54	13672	709/219	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/24 13:28
S55	13811	(obtain\$3 or determin\$3 or select\$3) with (connector) with (mobile or wireless or device or terminal or unit)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 08:25
S56	6855	(obtain\$3 or determin\$3 or select\$3) with (connector) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 08:25
S57	19	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) with (connector) with (application near2 (execut \$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:27
S58	5	S56 S57	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:28
S59	9	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near3 (connector) with (application near2 (execut \$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:38
S60	27	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near3 (connector) with ((application) or software) near2 (execut\$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:40
S61	5	S56 S60	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:40
S62	27	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near3 (connector) with ((application) or software) near2 (execut\$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:05
S63	6855	(obtain\$3 or determin\$3 or select\$3) with (connector) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 10:37
S64	5	S62 S63	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:37
S65	27	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) same ((application or software) near2 (execut\$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:43

S66	11	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) same ((application or software) near2 (execut\$3 or function)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:43
S67	3	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) same ((application or software) near2 (execut\$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:47
S68	4	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) with((application or software) near2 (execut\$3 or process\$3 or function or indicat\$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:50
S69	31	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) same ((application or software) near2 (execut\$3 or process\$3 or function or indicat\$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:50
S70	11	((analyz\$5 or distinguish\$3 or determin\$3 or specify\$3 or specification) near2 application) with ((choos\$3 or select\$3 or determin\$3) near2 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 11:08
S71	58	(application near execut\$3) with connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 12:10
S72	386646	(connector or application) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S73	43	S71 S72	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S74	34917	(connector or application) with (mobile or wireless) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S75	14	S71 S74	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S76	227184	(connector or application) with locat\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:13
S77	36	ll4 S76	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14
S78	112427	(connector or application) with locat\$3 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14

S79	2	ill4 S78	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14
S80	1	"20040193893"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 14:03
S81	1550	439/353	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 14:14
S82	0	@ad<"20030528" (application with connector) (connector near2 manag\$3) (external with location with service) (internal with location with service)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
S83	0	@ad<"20030528" (application with connector) (connector near2 manag\$3) (external with location) (internal with location with service)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
S84	2	@ad<"20030528" (application with connector) (connector near2 manag\$3) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
S85	2	@ad<"20030528" (application with connector) (connector near2 manag\$5) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
S86	4	@ad<"20030528" (application with connector) (connector with manag\$5) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:51
S87	3	@ad<"20030528" (application with connector) (connector with manag\$5) (external with location) (manag\$5 near2 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:52
S88	2	"20020120679"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/08 14:49
S89	0	(connector near3 (obtain\$3 or gather\$3 or fetch\$3 or retriev\$3) with analyz\$5 with (application near execut\$3)) same (access \$3 with locat\$3 with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 12:51
S90	1	(connector near3 (obtain\$3 or gather\$3 or fetch\$3 or retriev\$3) with analyz\$5 with (application near execut\$3)) (access\$3 with locat\$3 with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:01
S91	1	(connector near3 (obtain\$3 or gather\$3 or fetch\$3 or retriev\$3) with analyz\$5 with (application near execut\$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:03
S92	1	(connector near3 (obtain\$3 or gather\$3 or fetch\$3 or retriev\$3) with analyz\$5 with (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:05

S93	12	(connector near3 (obtain\$3 or determin\$3 or gather\$3 or fetch\$3 or retriev\$3) with (analyz\$5 or analysis) with (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:06
S94	1	(connector near3 (obtain\$3 or determin\$3 or gather\$3 or fetch\$3 or retriev\$3) with (analyz\$5 or analysis) near2 (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:08
S95	1	(connector near3 (obtain\$3 or determin\$3 or gather\$3 or fetch\$3 or retriev\$3) with (analyz\$5 or analysis) near3 (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:08
S96	15	(connector near3 (obtain\$3 or determin\$3 or gather\$3 or fetch\$3 or retriev\$3) same (analyz\$5 or analysis or execut\$3) near3 (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:13
S97	1242	((wireless or terminal or phone) with ((select \$3 or determin\$3 or choos\$3) near2 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:46
S98	19836	((access\$3 or locat\$3) with ((function or application) near2 execut\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:48
S99	2	S97 S98	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:48
S100	666	((wireless or terminal or phone) with ((select \$3 or determin\$3 or choos\$3) adj2 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:49
S101	14869	((access\$3 or locat\$3) with (( application) near2 execut\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:49
S102	1	S100 S101	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:49
S103	193656	((access\$3 or locat\$3) with ( execut\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:50
S104	16	S100 S103	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:50
S105	11763	((wireless or terminal or phone) with ((select \$3 or determin\$3 or choos\$3) adj2 (connect\$3 or (connect\$3 adj unit))))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:56
S106	97	((wireless or terminal or phone) with ((select \$3 or determin\$3 or choos\$3) adj2 (connect\$3 or (connect\$3 adj unit)))) same ((application or program) with execut\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:58



SI07	15	((wireless or terminal or phone) with ((select \$3 or determin\$3 or choos\$3) adj2 (connect\$3 or (connect\$3 adj unit))) same ((application or program) with execut\$3 with function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:58
SI08	5	((wireless or terminal or phone) with ((select \$3 or determin\$3 or choos\$3) adj2 (connect\$3 or (connect\$3 adj unit))) same ((application or program) with execut\$3 with requir\$5))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:00
SI09	14	((wireless or terminal or phone) with ((select \$3 or determin\$3 or choos\$3) adj2 (connect\$3 or (connect\$3 adj unit))) same ((application or program) with execut\$3 with (access\$3 or locat\$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:06
SI10	0	((application near3 manag\$5) with (analyz \$5 near3 (application or program)) with ((determin\$5 or select\$3 or choos\$3 or obtain\$3) adj2 (connector or (connection adj unit))) with (access\$3 or locat\$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:19
SI11	0	((application near3 manag\$5) with (analyz \$5 near3 (application or program)) with ((determin\$5 or select\$3 or choos\$3 or obtain\$3) adj2 (connect\$3 or (connection adj unit))) with (access\$3 or locat\$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:20
SI12	0	((application near3 manag\$5) with (analyz \$5 near3 (application or program)) same ((determin\$5 or select\$3 or choos\$3 or obtain\$3) adj2 (connect\$3 or (connection adj unit))) with (access\$3 or locat\$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:24
SI13	0	((application near3 manag\$5) with ((analyz \$5 or analysis) near3 (application or program)) same ((determin\$5 or select\$3 or choos\$3 or obtain\$3) adj2 (connect\$3 or (connection adj unit))) with (access\$3 or locat\$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:24
SI14	1	((application near3 manag\$5) with ((analyz \$5 or analysis) near3 (application or program)) with (connector))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:25
SI15	690629	(connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:26
SI16	190	(application near3 manag\$5) with connector	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:26
SI17	3	(application near3 manag\$5) with (determin\$5 or select\$3 or choos\$3) near3 connector	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:27
SI18	194	((connector or (connect\$3 adj unit)) same ((application or software or program) near2 (analyz\$5 or analysis)) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 20:59

SI19	1828	(locat\$3 with access) same (connector or (connect\$3 adj unit)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:00
SI20	5	SI18 SI19	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:00
SI21	376	(mobile or wireless or terminal) with input \$4 with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:03
SI22	20	(mobile or wireless or terminal) with (user adj input\$4) with (application near execut \$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:04
SI23	1	(mobile or wireless or terminal) with (input \$4) with (connector) with (application near execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:07
SI24	1	(mobile or wireless or terminal) with (input \$4) with (application near execut\$3) same connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:09
SI25	10	(mobile or wireless or terminal) with (application near execut\$3) with (connector or (connect\$3 adj unit)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:12
SI26	2	(function with (access near2 location) with (connector or (connect\$3 adj unit)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:27
SI27	1	(require\$4 near (data or function or method)) with ((application or software) near execut\$3) with (connector or (connect \$3 adj unit))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:30
SI28	624	(require\$4 near (data or function or method)) with ((application or software) near execut\$3) (access or locat\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:31
SI29	2	(require\$4 near (data or function or method)) with ((application or software) near execut\$3) same (connector or (connect\$3 adj unit))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:31
SI30	295	(access\$3 with locat\$3 with (function or method)) same (connector or (connect\$3 adj unit))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:32
SI31	133	(access\$3 with locat\$3 with (function or method)) same (connector or (connect\$3 adj unit)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:35
SI32	63	(access\$3 with locat\$3 with (function or method)) same (connector or (connect\$3 adj unit)) (mobile or wireless or terminal) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:36

SI33	18	((access\$3 with locat\$3 with (function or method)) same (connector or (connec\$3 adj unit)) same(mobile or wireless or terminal) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 21:36
SI34	2	((access\$3 with locat\$3 with (function or method)) same (application near (description or describ\$3)) (mobile or wireless or terminal) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 21:46
SI35	10	((access\$3 with locat\$3 with (application near (description or describ\$3))) (mobile or wireless or terminal) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 21:48
SI36	12	((access\$3 with locat\$3 with (application near (description or describ\$3))) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 21:53
SI37	104	((locat\$3 or access\$3) with (function or method) with (application near (description or describ\$3))) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 21:54
SI38	52	((locat\$3 or access\$3) with (function or method) with (application near (description or describ\$3))) (mobile or wireless or terminal) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 21:54
SI39	104	((locat\$3 or access\$3) with (function or method) with (application near (description or describ\$3))) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 21:59
SI40	87	((locat\$3 or access\$3) with (required near (function or method)) with (application) ) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 22:00
SI41	4	((locat\$3 or access\$3) with (required near (function or method)) with (application or software) near execut\$3 ) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 22:03
SI42	0	((locat\$3 or access\$3) near2 (required near (function or method)) same (application or software) near execut\$3 ) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 22:04
SI43	66	((locat\$3 or access\$3) near2 (required near (function or method)) same (application or software or connector) ) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 22:04
SI44	157	((locat\$3 near2 access\$3) near2 ((function or method)) same (application or software or connector) )@ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 22:13
SI45	4287	((locat\$3 or access\$3) near ((function)) same (application or software or connector) )@ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 22:19
SI46	8	((locat\$3 or access\$3) near ((function)) same (application with connector) ) @ad< "20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/03/10 22:19

SI47	0	((uri with locat\$3 with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:41
SI48	0	((uri with (locat\$3 or access\$3) with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:42
SI49	0	((uri same (locat\$3 or access\$3) with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:42
SI50	43	((mobile or wireless or terminal) with (conver\$3) with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:52
SI51	377838	((connector or (connect\$3 adj unit)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:20
SI52	49	((connector or (connect\$3 adj unit)) with ((application or software) near manag\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:21
SI53	3	((connector or (connect\$3 adj unit)) with ((application or software) near manag\$5) ((information or data or function) with (require\$4 near execut\$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:27
SI54	0	((application or software) near manag\$5) with ((information or data or function) with (requir\$5 near execut\$3)) with (analyz\$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:41
SI55	0	((application or software) near manag\$5) with ((information or data or function) with (requir\$5 near execut\$3)) same (analyz\$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:41
SI56	0	((application or software) near manag\$5) with ((information or data or function or connector) with (requir\$5 near execut\$3)) same (analyz\$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:42
SI57	0	((application or software) near manag\$5) same ((information or data or function or connector) with (requir\$5 near execut\$3)) same (analyz\$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:42
SI58	0	((application or software) near manag\$5) and ((information or data or function or connector) with (requir\$5 near execut\$3)) same (analyz\$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:42

SI59	20	((application or software) near manag\$5) with (analyz\$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:44
SI60	0	((application or software) near manag\$5) with (analyz\$5 near (software or application)) with (requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:46
SI61	5	((application or software) near manag\$5) with (analyz\$5 near (software or application)) same (requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:46
SI62	4	((application or software) near manag\$5) same (analyz\$5 near (software or application)) ((local\$3 or access\$3 or find \$3) near2 (function) with (application or software or requir\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:56
SI63	758	(connector or (connect\$3 adj unit)) with ((software or application) near requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:14
SI64	0	(determin\$5 or choos\$3) near2 (connector or (connect\$3 adj unit)) with ((software or application) near requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:15
SI65	0	((determin\$5 or choos\$3 or select\$3) near2 (connector or (connect\$3 adj unit))) with ((software or application) near requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:15
SI66	0	((determin\$5 or choos\$3 or select\$3 or obatin\$3) near2 (connector or (connect\$3 adj unit))) with ((software or application) near requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:19
SI67	16	((determin\$5 or choos\$3 or select\$3 or obatin\$3) near2 (connect\$3 or (connect\$3 adj unit))) with ((software or application) near requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:20
SI68	0	((determin\$5 or choos\$3 or select\$3 or obatin\$3) near2 (connect\$3 near provision)) with ((software or application) near requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:27
SI69	0	((determin\$5 or choos\$3 or select\$3 or obatin\$3) near2 (connect\$3) with ((software or application) near requir\$5) (connector near provision) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:27
SI70	0	((determin\$5 or choos\$3 or select\$3 or obatin\$3) near2 (connect\$3) with ((software or application) near requir\$5) (connect\$3 with provision with server) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:34
SI71	507	(connect\$3 with provision with server) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:34

SI72	10	(connect\$3 near provision near server) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:35
SI73	1	(connect\$3 near provision\$3) with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:25
SI74	0	(connector near provision\$3) with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:25
SI75	1	(connector near server) with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:26
SI76	0	(connector) with (service near2 provision \$3) with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:27
SI77	23	(connector) with (service) with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:27
SI78	0	((detect\$3 or select\$3 or choos\$3 or determin\$5) near2 (connector)) with (service) with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:31
SI79	6	((detect\$3 or select\$3 or choos\$3 or determin\$5) near2 (connector)) with (application with execut\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:31
SI80	2	((detect\$3 or select\$3 or choos\$3 or determin\$5) near2 (connector)) with (function near requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:33
SI81	3	((detect\$3 or select\$3 or choos\$3 or determin\$5) near2 (connector)) with ((application or software) near2 requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:33
SI82	3	((detect\$3 or select\$3 or choos\$3 or determin\$5) near2 (connector)) with ((application or software or execution) near2 requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:35
SI83	1116	(connector) with ((application or software or execution) near2 requir\$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:35
SI84	0	(connector) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:35
SI85	201	(connector) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:35

SI86	5	(select\$3 or choos\$3 or determin\$5 or detect\$3) near2 (connector) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:36
SI87	23	(select\$3 or choos\$3 or determin\$5 or detect\$3 or match\$3) near2 (connector) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:38
SI88	9	(connector with uri) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:59
SI89	25	(select\$3 or choos\$3 or determin\$5 or detect\$3 or match\$3) near2 (connector or (resource adj adapter)) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 18:01
SI90	411	(connector or (resource adj adapter)) with (terminal or mobile or wireless) with (ld or identifier or identification) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 18:31
SI91	17	(connector or (resource adj adapter)) with (terminal or mobile or wireless) with (ld or identifier or identification) with application @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 18:32
SI92	0	(connector or (resource adj adapter)) with (terminal or mobile or wireless) with (ld or identifier or identification) with compar\$5 with application @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 18:46
SI93	164	(connector or (resource adj adapter)) with (terminal or mobile or wireless or device) with (location) with hold\$3 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 19:16
SI94	11	(connector or (resource adj adapter)) with (terminal or mobile or wireless or device) with (location) near2 hold\$3 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 19:17
SI95	5	"6,925,052" @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 19:46
SI96	1026	(external with (terminal or mobile or wireless) same (connector or (resource adj adapter))) (internal with (terminal or mobile or wireless) same (connector or (resource adj adapter)))@ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:08
SI97	655	(external with (terminal or mobile or wireless) with (connector or (resource adj adapter))) (internal with (terminal or mobile or wireless) with (connector or (resource adj adapter)))@ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:08
SI98	32	(external with (terminal or mobile or wireless) with locat\$3 with (connector or (resource adj adapter))) (internal with (terminal or mobile or wireless) with locat\$3 with (connector or (resource adj adapter)))@ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:09

S199	57	(external with (terminal or mobile or wireless) with (connector or (resource adj adapter)) same locat\$3) (internal with (terminal or mobile or wireless) with (connector or (resource adj adapter)) same locat\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:11
S200	13	(external with (terminal or mobile or wireless) with (connector or (resource adj adapter)) same application) (internal with (terminal or mobile or wireless) with (connector or (resource adj adapter)) same application) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:19
S201	1	"10787689"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 21:21
S202	1	"20020038336"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2010/11/17 11:56
S203	15	"6,678,888"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2010/11/17 11:56
S204	1	"20030009667"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2010/11/17 12:25
S205	14	"5,090,013"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2010/11/17 12:26
S206	3	"7,269,724"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2010/11/17 12:26
S207	4558	(connector or connecting) with (application or software) with (configuration or requirement)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 12:29
S208	338	(connector) with (determin\$3 or specif\$6) with (application or software) with (configuration or requirement)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 12:29
S209	7	(connector) with (determin\$3 or specif\$6) with (application or software) with (configuration or requirement) with locat\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 12:30
S210	26	(connector) with (determin\$3 or specif\$6) with (application or software) with (configuration or requirement) same locat \$3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 12:30
S211	605	(connect\$3 or access\$3) with (determin\$3 or specif\$6) with (application or software) with (configuration or requirement) same locat\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 12:31



S212	82	"6115471"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 12:32
S213	1	"20020026510"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 12:32
S214	62	(connector with locat\$3 with access\$3 with function')	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 13:14
S215	62	(connector with locat\$3 with access\$3 with function)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 13:14
S216	14	(connector with locat\$3 with access\$3 with function) camera	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 13:23
S217	42	(connector with locat\$3 with access\$3 with function) (phone or camera or mobile or wireless)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 13:25
S218	3	"7,269,724"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 14:50
S219	10547	connector with (application or software) with (device or terminal or mobile or wireless)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 14:53
S220	900	connector with (application or software) with (device or mobile or wireless) with (stor\$3 or hold\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 14:53
S221	330	connector with (application or software) with (device or mobile or wireless) with (stor\$3 or hold\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 14:54
S222	11	connector with (application or software) with (different or another or alternat\$5) near3 (device or mobile or wireless) with (stor\$3 or hold\$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 14:54
S223	33	connector with (application or software) with (different or another or alternat\$5 or separate) near3 (device or mobile or wireless) (stor\$3 or hold\$3) with connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 14:57
S224	8	connector with (application or software) with (different or another or alternat\$5 or separate) near3 (device or mobile or wireless) (stor\$3 or hold\$3) near2 connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/11/17 15:06

S225	297	connector with (application or software) with (device or mobile or wireless) (stor\$3 or hold\$3) near2 connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/11/17 15:07
S226	11	connector with (application or software) with (device or mobile or wireless) with access\$3 with connector (stor\$3 or hold\$3) near2 connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/11/17 15:08
S227	191	Tuatini	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2010/11/29 09:35
S228	8	Tuatini	US-PGPUB	AND	ON	2010/11/29 09:35
S229	1	"20020038336"	US-PGPUB; USPAT; USOCR; FFRS	AND	OFF	2011/05/06 20:42
S230	18	"6,678,888"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2011/05/06 21:00
S231	8	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function or application or execut\$3))) with connector	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2011/05/06 21:48
S232	24	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function or object) near3 required))	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2011/05/06 21:49
S233	1	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function or object) near3 required)) same management	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2011/05/06 21:49
S234	3	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function or object) near3 required)) with (application or software)	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2011/05/06 21:50
S235	1	@ad<"20030528" "20010047385"	US-PGPUB; USPAT; USOCR; FFRS	AND	ON	2011/05/06 21:52

## EAST Search History (Interference)

&lt; This search history is empty&gt;

5/ 7/ 2011 4:01:03 PM

C:\Documents and Settings\rscott\My Documents\EAST\Workspaces\ 10558152.wsp